

Loupes (Magnification)	Adopted in Below Clinical Department (Japan)	Adopted in Below Clinical Department (Overseas)
BLS-2 (2.0x - 2.5x)	Plastic surgery, Orthopedics, Surgery, Kidney surgery, Nephrology (dialysis), Respiratory surgery, Urology, Ophthalmology, Otolaryngology, Obstetrics and Gynecology, Dermatology	Orthopedics, Cardiovascular surgery, Ophthalmology, Brain surgery, Plastic surgery, Digestive surgery, Otorhinolaryngology surgery, Urology, Cardiothoracic surgery, Neurosurgery, General surgery, etc.
BLS-3 (2.5x - 3.0x)	Plastic surgery, Orthopedics, Surgery, Cardiovascular surgery, Nephrology, Nephrology (dialysis), Respiratory surgery, Urology, Ophthalmology, Otolaryngology, Obstetrics and Gynecology, Dermatology	Orthopedics, Cardiovascular surgery, Ophthalmology, Brain surgery, Plastic surgery, Digestive surgery, Otorhinolaryngology surgery, Urology, Cardiothoracic surgery, Neurosurgery, General surgery, etc.
BLD-3 (2.5x - 3.0x)	Operation at a working distance of 25~35cm Oral surgery, Dentistry	Dentistry
BLP-4 (4.0x - 4.5x)	Dentistry, Cardiovascular surgery, Neurosurgery, Ophthalmology	Micro surgery, Hand and foot surgery, Breast surgery, Ophthalmology, etc.
BLP-6 (5.5x - 6.0x)	Dentistry, Cardiovascular surgery, Neurosurgery, Ophthalmology	Micro surgery, Hand and foot surgery, Breast surgery, Ophthalmology, etc.

Illuminator	Adopted in Below Clinical Department (Japan)	Adopted in Below Clinical Department (Overseas)
NSI-X	Surgery on areas that cannot be illuminated with a surgical light	General surgery